



GSMTM
SAFETY PRODUCTS

Goatskin Leather Impact Protection Glove

- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear and puncture resistant
- Dual purpose industrial/sport design
- Palm with foam padding dissipates high-impact energy



EN 388:2016



Performance

Abrasion	2
Cut (Coup Test)	1
Tear	3
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	P
ANSI Cut Level	A4

Technical Data

Material	Leather and vinyl
Cuff Closure	Shirred elastic
Sizes	S - XL
Packaging	12 pairs per inner 144 pairs per master
COO	Pakistan

Item	Size	UPC
GWP-SF-GOATIL2A4-SM	Small	888151025079
GWP-SF-GOATIL2A4-MD	Medium	888151025086
GWP-SF-GOATIL2A4-LG	Large	888151025109
GWP-SF-GOATIL2A4-XL	Extra Large	888151025109

Specification
Sheet

GOATIL2A4

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

13GHNIA4

Impact and Cut Resistant Glove

- 13 gauge HPPE shell
- Foam Nitrile palm coating for improved grip and durability
- Thermal Plastic Rubber impact bumpers for impact protection without compromising dexterity
- Kevlar reinforced thumb saddle for long lasting durability



EN 388:2016



Performance

Abrasion	4
Cut (Coup Test)	3
Tear	4
Puncture	3
Cut (TDM-100 Test)	X
Impact Protection	P
ANSI Cut Level	A4

Technical Data

Material	HPPE Shell
Cuff Closure	TPR Impact Bumpers
Sizes	Knitted wrist
Packaging	S - XL
COO	12 pairs per inner 144 pairs per master
	China

Item	Size	UPC
GWP-SF-13GHNIA4-SM	Small	888151022962
GWP-SF-13GHNIA4-MD	Medium	888151022979
GWP-SF-13GHNIA4-LG	Large	888151022986
GWP-SF-13GHNIA4-XL	Extra Large	888151022993

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gmsafetyproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

HVFFIL2

Impact and Cut Resistant Glove

- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear and puncture resistant
- Dual purpose industrial/sport design
- Synthetic leather palm with foam padding dissipates high-impact energy and vibrations
- Hook and loop closure at wrist



EN 388:2016



Performance

Abrasion	2
Cut (Coup Test)	1
Tear	2
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	P

Technical Data

Material	Synthetic shell Synthetic Leather Palm
Cuff Closure	Hook and Loop
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	Pakistan

Item	Size	UPC
GWP-SF-HVFFIL2-SM	Small	888151023204
GWP-SF-HVFFIL2-MD	Medium	888151023211
GWP-SF-HVFFIL2-LG	Large	888151023228
GWP-SF-HVFFIL2-XL	Extra Large	888151023235

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Impact and Cut Resistant Glove Cold Weather

- 4 layers of material for superior warmth – synthetic leather, thinsulate c-40 gram, water barrier and micro fleece fabric
- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear and puncture resistant
- Dual purpose industrial/sport design
- Hook and loop closure at wrist



EN 388:2016



Performance	
Abrasion	2
Cut (Coup Test)	1
Tear	2
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	P

Technical Data	
Material	Synthetic leather, thinsulate c-40 gram, water barrier microfleece fabric
Cuff Closure	Hook and Loop
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	Pakistan

Item	Size	UPC
GWP-SF-HVFFIL2W-SM	Small	888151023280
GWP-SF-HVFFIL2-MD	Medium	888151023297
GWP-SF-HVFFIL2-LG	Large	888151023303
GWP-SF-HVFFIL2-XL	Extra Large	888151023310

Specification Sheet

HVFFIL2W

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gmsafetyproducts.com



GSMTM
SAFETY PRODUCTS

Impact and Cut Resistant Glove

Improved Grip

- Polyurethane diamond pattern palm and pull strap to enhance grip
- Impact bumpers provide knuckle, metacarpal and finger protection
- Abrasion, cut, tear and puncture resistant
- Dual purpose industrial/sport design
- Hook and loop closure at wrist



EN 388:2016



Performance

Abrasion	2
Cut (Coup Test)	1
Tear	2
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	P

Technical Data

Material	Polyurethane PU Foam Padding
Cuff Closure	Hook and Loop with pull strap
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	Pakistan

Item	Size	UPC
GWP-SF-HVFFILPUIL2-SM	Small	888151023242
GWP-SF-HVFFILPUIL2-MD	Medium	888151023259
GWP-SF-HVFFILPUIL2-LG	Large	888151023266
GWP-SF-HVFFILPUIL2-XL	Extra Large	888151023273

Specification Sheet

HVFFILPUIL2

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Cooling Glove

- 15-gauge polyblend knitted shell
- Constructed with Coolmax® fabric technology to keep you cool and wick away perspiration
- Foam latex palm coating for grip confidence in dry and wet conditions
- Elastic knitted wrist band keeps out dirt and debris



EN 388:2016



Specification Sheet

15BPCFL

Performance

Abrasion	2
Cut (Coup Test)	1
Tear	2
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	X

Technical Data

Material	15 gauge polyblend knit Coolmax® fabric technology Foam latex palm coating
Cuff Closure	Knitted wrist
Sizes	S - XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-15BPCFL-SM	Small	888151023129
GWP-SF-15BPCFL-MD	Medium	888151023136
GWP-SF-15BPCFL-LG	Large	888151023143
GWP-SF-15BPCFL-XL	Extra Large	888151023150

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

13GHNA4

A4 Cut Resistant Glove

- 13 gauge HPPE knitted shell
- Abrasion, cut, tear and puncture resistant
- Foam nitrile palm coating provides nonslip grip
- Elastic knitted wristband keeps out dirt and debris



EN 388:2016



Performance

Abrasion	4
Cut (Coup Test)	3
Tear	4
Puncture	3
Cut (TDM-100 Test)	X
Impact Protection	X

ANSI Cut Level **A4**

Technical Data

Material	13 gauge HPPE shell Foam Nitrile palm
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-13GHNA4-SM	Small	888151023006
GWP-SF-13GHNA4-MD	Medium	888151023013
GWP-SF-13GHNA4-LG	Large	888151023020
GWP-SF-13GHNA4-XL	Extra Large	888151023037

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

15RHPUA2

A3 Cut Resistant Glove

- 15 gauge HPPE knitted shell for high dexterity
- Abrasion, cut, tear and puncture resistant
- Poly urethane palm coating for low particulate shed and less bulk
- Elastic knitted wristband keeps out dirt and debris



EN 388:2016



Performance	
Abrasion	3
Cut (Coup Test)	4
Tear	4
Puncture	3
Cut (TDM-100 Test)	X
Impact Protection	X
ANSI Cut Level	A3

Technical Data	
Material	15 gauge HPPE knit Poly Urethane Palm
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-15RHPUA2-SM	Small	888151023082
GWP-SF-15RHPUA2-MD	Medium	888151023099
GWP-SF-15RHPUA2-LG	Large	888151023105
GWP-SF-15RHPUA2-XL	Extra Large	888151023112

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

15BHFNA3

A3 Cut Resistant Glove

Improved Grip

- 15 gauge HPPE knitted shell for high dexterity
- Abrasion, cut, tear and puncture resistant
- Sandy Nitrile palm coating provides improved grip in all situations
- Elastic knitted wristband keeps out dirt and debris



EN 388:2016



Performance

Abrasion	2
Cut (Coup Test)	3
Tear	4
Puncture	2
Cut (TDM-100 Test)	X
Impact Protection	X

ANSI Cut Level **A3**

Technical Data

Material	15 gauge HPPE knit Sandy Nitrile Palm
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-15BHFNA3-SM	Small	888151023044
GWP-SF-15BHFNA3-MD	Medium	888151023051
GWP-SF-15BHFNA3-LG	Large	888151023068
GWP-SF-15BHFNA3-XL	Extra Large	888151023075

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gmsafetyproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

DY1850PU

A2 Cut Resistant Glove High Dexterity

- 18 gauge HPPE knitted shell
- Abrasion, cut, tear, and puncture resistant
- Poly Urethane palm coating
- Elastic knitted wristband keeps out dirt and debris
- High Dexterity



EN 388:2016



Performance

Abrasion	3
Cut (Coup Test)	4
Tear	4
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	X

ANSI Cut Level **A2**

Technical Data

Material	18 gauge HPPE knit Poly Urethane palm
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-DY1850PU-A2-S	Small	888151024997
GWP-SF-DY1850PU-A2-M	Medium	888151025000
GWP-SF-DY1850PU-A2-L	Large	888151025017
GWP-SF-DY1850PU-A2-X	Extra Large	888151025024

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com



GSMTM
SAFETY PRODUCTS

Specification
Sheet

15BKFN

Coated Nylon Glove

- 15 gauge nylon knitted shell
- High dexterity light weight hand protection
- Foam Nitrile palm coating provides nonslip grip
- Elastic knitted wristband keeps out dirt and debris



EN 388:2016



Performance

Abrasion	3
Cut (Coup Test)	1
Tear	2
Puncture	2
Cut (TDM-100 Test)	X
Impact Protection	X

ANSI Cut Level A1

Technical Data

Material	15 gauge nylon knit Foam Nitrile palm
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Item	Size	UPC
GWP-SF-15BKFN-SM	Small	888151022887
GWP-SF-15BKFN-MD	Medium	888151022894
GWP-SF-15BKFN-LG	Large	888151022900
GWP-SF-15BKFN-XL	Extra Large	888151022917

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gmsafetyproducts.com




GSMTM
SAFETY PRODUCTS

Coated Nylon Glove Xtra Grip

- 15 gauge nylon knitted shell
- High dexterity light weight hand protection
- Foam Nitrile palm coating with dotted palm overlay provides for extra grip and durability
- Elastic knitted wristband keeps out dirt and debris



EN 388:2016



Performance

Abrasion	4
Cut (Coup Test)	1
Tear	2
Puncture	1
Cut (TDM-100 Test)	X
Impact Protection	X
ANSI Cut Level	A1

Technical Data

Material	15 gauge nylon knit Foam Nitrile with dotted overlay
Cuff Closure	Elastic knitted
Sizes	S-XL
Packaging	12 pairs per inner 144 pairs per master
COO	China

Specification
Sheet

15BKFNDP

GSM Safety
5250 Frye Rd.
Irving, TX. 75061

Tel: 869-912-7890
safetyorders@gsmorg.com

gsmproducts.com

Item	Size	UPC
GWP-SF-15BKFNDP-SM	Small	888151022887
GWP-SF-15BKFNDP-MD	Medium	888151022894
GWP-SF-15BKFNDP-LG	Large	888151022900
GWP-SF-15BKFNDP-XL	Extra Large	888151022917